

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P. O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/701,203	12/06/2000	Markus Kalkum	1539-00	7336
35811 7:	590 03/08/2004		EXAMINER	
IP DEPARTMENT OF PIPER RUDNICK LLP			GORDON, BRIAN R	
	GAN SQUARE RCH STREETS		ART UNIT	PAPER NUMBER
10111111	IA, PA 19103		1743	
			DATE MAILED: 03/08/200	4

Please find below and/or attached an Office communication concerning this application or proceeding.

			A			
	Application No.	Applicant(s)	,,			
	09/701,203	KALKUM ET AL.				
Office Action Summary	Examiner	Art Unit				
	Brian R. Gordon	1743				
The MAILING DATE of this communication ap Period for Reply	pears on the cover shee	with the correspondence address	;			
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a rep - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut - Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).  Status	136(a). In no event, however, ma oly within the statutory minimum of will apply and will expire SIX (6) No e, cause the application to becom	y a reply be timely filed thirty (30) days will be considered timely. MONTHS from the mailing date of this commun a ABANDONED (35 U.S.C. § 133).	ication.			
1) Responsive to communication(s) filed on 12-	<del>-4-03</del> .					
2a)⊠ This action is <b>FINAL</b> . 2b)□ Ti	his action is non-final.					
3) Since this application is in condition for allow closed in accordance with the practice under			rits is			
Disposition of Claims	- Al 15 A5					
4) Claim(s) 20,23-30 and 32-38 is/are pending i						
4a) Of the above claim(s) is/are withdra	awn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>20, 23-30, 32-38</u> is/are rejected.						
7) Claim(s) is/are objected to.	on alootion requirement					
8) Claim(s) are subject to restriction and/o	or election requirement.		•			
9) The specification is objected to by the Examine	er.					
10)⊠ The drawing(s) filed on <u>06 December 2000</u> is/a		objected to by the Examiner.				
Applicant may not request that any objection to the		•				
11) The proposed drawing correction filed on						
If approved, corrected drawings are required in re	eply to this Office action.					
12) The oath or declaration is objected to by the Ex	xaminer.					
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreig	n priority under 35 U.S.	C. § 119(a)-(d) or (f).				
a) All b) Some * c) None of:						
1. Certified copies of the priority documen	ts have been received.					
2. Certified copies of the priority documen	2. Certified copies of the priority documents have been received in Application No					
<ul> <li>3. Copies of the certified copies of the price application from the International But See the attached detailed Office action for a list</li> </ul>	ureau (PCT Rule 17.2(a	)).	e			
14) Acknowledgment is made of a claim for domes	tic priority under 35 U.S	C. § 119(e) (to a provisional app	lication).			
<ul> <li>a)  The translation of the foreign language pr</li> <li>15)  Acknowledgment is made of a claim for domes</li> </ul>	• •					
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice	ew Summary (PTO-413) Paper No(s) of Informal Patent Application (PTO-152				

Art Unit: 1743

î

#### **DETAILED ACTION**

### **Priority**

1. Acknowledgment is made of applicant's claim for foreign priority under 35 U.S.C. 119(a)-(d). The certified copy has been filed in parent Application No. PCT/EP99/03667, filed on May 27, 1999.

### Response to Arguments

Applicant's arguments filed December 4, 2003 have been fully considered but 2. they are not persuasive. Applicant asserts the subject of Claim 30 is novel over Tajima. Tajima does not disclose a microdosing device being a micropipette or a microdispenser containing a solid carrier material with a binding-active surface. The examiner respectfully disagrees, for Tajima column 4, first paragraph discloses "the present invention is well suited to works of separating, taking out, pipetting, clarifying, condensing, diluting and/or works of capturing, extracting, isolating, amplifying, labeling, and measuring molecule level organisms or microorganisms such as cells, DNA, RNA, mRNA, plasmid, virus, and bacteria or certain high molecular substance, and a target high molecular substance can be obtained without depending on the conventional centrifugation." As disclosed above the device is useful with micro scale particles as such it may be inherently classified as a mirodoser, micropipette, or microdispenser. As to carrier material of Tajima having a binding-active surface, it is inherent that the surface may be classified as such for the molecules are attached or bound to the surface of the carrier material for subsequent separation.

Art Unit: 1743

Applicant argues that the subject matter of claim 30 is not obvious over a combination of Tajima and Papen, however no such combination was applied to reject claim 30. However the combination is applied to claims 37 and 38. Applicant asserts, "it is not obvious to provide magnetic particles within the reservoir of a microdosing device." The examiner made no such statement of obviousness in the previous office action for it has been explicitly disclosed by Tajima that the microdosing device of the prior art comprises magnetic particles for use with micro particles contained in solutions.

Applicant further states "The drive device (e.g., a magnet) of Tajima is not able to move the carrier material in the reservoir. If the magnet is separated from the chip, the carrier material is released from the reservoir but not moved within the microdosing device." The examiner respectively disagrees for as recited in the previous office action:

"..magnetic particles are used, controls are provided so that the magnetic particles are absorbed onto an internal wall of a chip due to a magnetic force working from outside of the chip.."

As implied by the above passage not only do the drive magnets prevent the particles from being released from the reservoir but they also attract the particles to (movement in the reservoir) the internal wall of the reservoir. Even the act of operating the magnets to release the particles would be considered moving the particles. The examiner has address the movement of the particles relative to the driving device above; however, the phrase (claim 30) "for holding and repeatedly moving the carrier material in the reservoir." is considered intended use.

Art Unit: 1743

("

It has been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. Ex parte Masham, 2 USPQ2d 1647 (1987).

For reasons given herein above and below the 102 rejection of claims 30-36 and the 103 rejection of claims 37-38 are hereby maintained.

## Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the first paragraph of 35 U.S.C. 112:
  - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 4. Claims 20 and 23-29 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. There is no recitation of the method as claimed being supported or described as comprising a step of collecting the substance in the reservoir by repeatedly uptaking a solution or suspension. After reviewing the specification, the examiner found support for the method in which enrichment takes place as comprising the uptaking or aspiration of one sample. The is no mentioning that upon uptaking the solution once is repeatedly performed. Does this means that the solution is cycled through numerous aspirations and dispensing before proceeding to the delivery step? If applicant determines that there is support for repetitious action of the step, it should be clearly pointed out where in the specification the method step is clearly disclosed.

Art Unit: 1743

# Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

6. Claims 30 and 32-36 are rejected under 35 U.S.C. 102(e) as being anticipated by Tajima US 5,895,631.

Tajima teaches a method making use of a pipette device which sucks a liquid containing a target high molecular substance via a chip detachably set in a sucking port or a discharging port of a liquid sucking/discharging line from inside of a vessel and transfers the liquid or the target high molecular substance to a target next processing position, and the chip has the sucked target high molecular substance deposited on magnetic particles (solid carrier material) and/or separated with a filter set in the chip. Namely, it is possible to automatically execute with high precision the works of quantifying, separating, taking out, pipetting, clarifying, condensing, diluting a liquid or a

Art Unit: 1743

target high molecular substance as well as works of extracting, recovering, and isolating the substance by controlling the pipette device's operations for sucking and discharging the liquid and magnetic particles with a magnetic body and/or by a combination of a magnetic body and a filter (pourous carrier material).

The target high molecular substance is a useful substance such as antibiotics, genetic substances such ad DNA, or an immunological substance such as antibody. For this reason, the present invention is well suited to works of separating, taking out, pipetting, clarifying, condensing, diluting and/or works of capturing, extracting, isolating, amplifying, labelling, and measuring molecule level organisms or microorganisms such as cells, DNA, RNA, mRNA, plasmid, virus, and bacteria or certain high molecular substance, and a target high molecular substance can be obtained without depending on the conventional centrifugation.

By having a target high molecular substance or a substance bonded to a target high molecular substance absorbed or bonded to a surface of each magnetic particle used for the purpose of the present invention, the target high molecular substance can be obtained without executing centrifugation.

In the present invention, in a case where the above-described magnetic particles are used, controls are provided so that the magnetic particles are absorbed onto an internal wall of a chip due to a magnetic force working from outside of the chip, or so that, if effect of the magnetic force is weak or not present, the magnetic particles are held separable from the internal surface of the chip, it is possible to control capture of

Art Unit: 1743

target high molecular substance and separation of the same from foreign materials with high precision.

There is provided a liquid processing apparatus making use of a pipette device (microdosing device) comprising a liquid sucking/discharging line which can move in the horizontal line and is maintained at a specified position so that it can move in the vertical direction, a plurality of chips required for processing one type of liquid and provided along the horizontal line in which this sucking/discharging line moves, a vessel with the liquid accommodated therein, one or more filter holders each having a filter set therein required for the processing described above, one or more vessels each accommodating therein other types of liquid required for the processing above, a vessel in which a liquid containing magnetic particles is accommodated, and a magnetic body for attracting the magnetic particles onto an internal surface of the chip in the process of sucking or discharging a solution containing the magnetic particles, and the liquid sucking/discharging line is transferred according to instructions from a control unit to execute required processing for a liquid or a target high molecular substance contained in the liquid, and for this reason it is possible to execute such works as quantifying, separating, taking out, pipetting, clarifying, condensing, diluting a target high molecular substance and also such complicated works as extracting, recovering, and isolating the target high molecular substance with very simple configuration in succession and automatically.

In a case where the magnetic body is built with a permanent magnet, a surface of the **permanent magnet** (drive device) contacting a chip is formed according to an

Art Unit: 1743

external form of the chip and the chip is movably provided in a direction perpendicular to the longitudinal direction of the chip, so that it is possible not only to completely capture magnetic particles, but also to prevent adverse effects by diffusion and movement of the magnetic particles in association with the magnet without fail.

The magnetic body may also be built with an **electric magnet** (drive device) in place of the permanent magnet described above with a surface thereof contacting a chip formed according to an external form of the chip, and is provided so that the electric magnet generates a magnetic force when it contacts outside of the chip and also can move, when degaussed, in a direction perpendicular to the longitudinal center line of the chip or in a range including the direction, and for this reason magnetic particles are attracted in association with movement of the magnetic body along the longitudinal center line of the chip so that it is possible to prevent the magnetic particles from going out of control and control over the magnetic particles from being lost, which makes it possible to realize complete attraction of the magnetic particles.

Tajima also teaches a step of subjecting DNA refined through the reaction steps as given in relation to such works as extracting, recovering, isolating or amplifying with PCR or to control for temperature thereof.

Namely, in a case where such works as extracting, recovering, or isolating by making use of this pipette device with magnetic particles G with DNA or DNA-bonded substance bonded to the surface, as shown in step 14 in FIG. 13, at first the pipette nozzle P is moved upward and then transferred to just above a fourth cell  $C_4$  with the second filter holder  $H_2$  left in cell  $C_3$  via a filter holder removing body  $E_2$  having the

Art Unit: 1743

same configuration as that of the filter holder removing body  $E_1$  and the sucked DNA solution is discharged into the cell  $C_4$ .

A required quantity of reaction liquid containing magnetic particles G with DNA or DNA-bonded substance bonded to the surface thereof has been supplied into this cell C<sub>4</sub>, and when the DNA solution is discharged into the reaction liquid, a reaction between DNA fragments and the magnetic particles G is started.

The chip  $T_3$  with the DNA solution having been discharged into the cell  $C_4$  is removed from the lower edge section of the pipette nozzle P according to the processing sequence like in a case of the chip  $T_1$  or chip  $T_2$ , and is aborted.

It is needless to say that then the chip  $T_4$  is set in the lower edge section of the pipette nozzle P according to the processing sequence as described above.

Then, after a certain period of time has passed, the pipette nozzle P goes downward and steeps the chip T<sub>4</sub> into the reaction liquid, the magnetic body M contacts the intermediate diameter section K<sub>12</sub> of the chip T<sub>4</sub>, the works of sucking and discharging the liquid by the pipette nozzle P is executed at least once according to the necessity, and separation between the magnetic particles and the reaction liquid is executed (step 15). Then the sucking and discharging work is executed to a slow speed so that almost all the magnetic particles are captured. In this case, it is important for completely attracting the magnetic particles to provide controls over the sucking and discharging operations so that the final liquid surface of the reaction liquid sucked or

Application/Control Number: 09/701,203 Page 10

Art Unit: 1743

discharged passes through an area effected by a magnetic force generated by the magnetic body M.

# Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - 2. Ascertaining the differences between the prior art and the claims at issue.
  - 3. Resolving the level of ordinary skill in the pertinent art.
  - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 9. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Art Unit: 1743

10. Claims 37-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tajima as applied to claims 20-28 and 30-36 above, and further in view of Papen et al. US 6,083,762.

Tajima does not teach that the device comprises piezoelectric pipettes with a volume of less than 500 microliters.

Papen et al. discloses a low volume liquid handling system is which includes a microdispenser employing a piezoelectric transducer attached to a glass capillary, a positive displacement pump for priming and aspirating liquid into the microdispenser, controlling the pressure of the liquid system, and washing the microdispenser between liquid transfers, and a pressure sensor to measure the liquid system pressure and produce a corresponding electrical signal.

The microdispenser is capable of rapidly and accurately dispensing sub-nanoliter ("nl") sized droplets by forcibly ejecting the droplets from a small nozzle.

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the device of Tajima by employing a piezoelectric transducer as taught by Papen to provide a microvolume liquid handling system which can transfer microvolume quantities of fluids containing chemically or biologically active substances. The piezoelectric transducer allows for accurate dispensing of sub-nanoliter size individual droplets which are very reproducible.

#### Conclusion

11. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

Art Unit: 1743

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian R. Gordon whose telephone number is 571-272-1258. The examiner can normally be reached on M-F, with 2nd and 4th F off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1743

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

brg

Supervisory Patent Examiner Technology Center 1700